New Zealand Department of Agriculture.

# THE NEW ZEALAND JOURNAL OF AGRICULTURE.

VOL. 47.

(JULY–DECEMBER, 1933.)

Published by direction of
The Hon. C. E. MACMILLAN, Minister of Agriculture

Editor: R. H. Hooper.

WELLINGTON.
BY AUTHORITY: G. H. LONEY, GOVERNMENT PRINTER
—
1933.

New Zealand Department of Agriculture

THE NEW ZEALAND

# JOURNAL

OF

# AGRICULTURE

H.

Hadfield, J. W.—The rape crop in New Zealand, 71.
Hairiness in the fleece of the Romney lamb, effect of shearing on, 20.
Halo-hairs in the Romney lamb: Breeding experiments up to 1933 season, 289.
Hay and ensilage competitions in North Taranaki, 211.
Hay or ensilage, management of paddocks for, 335.
Heat resources, natural, in thermal regions, 29.
Herbage plants, strain development in, 273.
Herd testing in New Zealand, 1932–33, 205.
Herd-testing, official, of purebred dairy cows, 278.
Hernings swede, 70.
Hewlett, C. H., and J. H.—Hot-water treatment of seed barley, 33.
Hill country grasslands of the original bush districts, 160.
Hoary cress included in Second Schedule of Noxious Weeds Act, 104.
Hopkirk, C. S. M.—See Dayus and Hopkirk.
Horn suppression on calves by caustic stick, 271.
Horse with nasal catarrh and cough, 404.
Horticultural nurseries, registration of, 265.
Horticulture (monthly notes), 62, 128, 195, 263, 329, 398.
Hot-water treatment of seed barley: Crop results in Canterbury, seasons 1930 to 1933, 33.
Hudson, A. W., and McPherson, G. K.—Investigations in pasture production, 238.
Hudson, A. W., and Woodcock, J. W.—Wheat manuring experiments in the South Island, season 1932–33, 166.
Humidity control in cheese-curing rooms, 280.
Hullett, E. W., and Calder, J. W.—A simple ultra-violet ray apparatus for testing rye-grass, 236.
Hybridization, phormium, 361.
Hyde, W. C.—Horticulture, 62, 128, 195, 263, 329, 398.

I.

Inoculation of lucerne, 387.
Inquiries, answers to, 70, 134, 204, 271, 335, 404.
Insect pests, exotic, some recently recorded, 221.
Inventions of agricultural interest, 70, 203, 336.
Investigations in pasture production, 238.
Iron deficiency, use of limonite for, 277.
Italian, Western Wolths, and Wimmera rye-grasses, 366.

J.

Japanese millet with rape, 134.

K.

Killings at meat-export works, 272.
Kitto, H. A.—
Experiments with various grits for fowls, 40.
Barley for poultry feeding, 112.

L.

Lambing, estimates of the season's, 401.
Lambing estimate, North Island, 336.
Lambs, research on pulpy kidney disease of, 116.
Length of oestrous cycle and duration of pregnancy in ewes: Some observations under New Zealand conditions, 305.
Length of oestrous cycle and duration of pregnancy in Romney ewes, a note on, 386.
Leslie, A.—Some aspects of dental attrition in New Zealand sheep, 149.
Levy, E. Bruce—Strain development in herbage plants, 273.
Levy, E. Bruce, and Saxby, Stephen H.—Strain investigation of grasses and clovers: Italian, Western Wolths, and Wimmera rye-grasses, 366.
Light lands of the Canterbury Plains, permanent pastures on, 105, 176, 242, 313.
Liming experience at Winton Demonstration Farm, 336.
Limonite as sheep-lick, precautions for manufacture and use of, 18.
Limonite ore, supplies of, 387.
Limonite for iron deficiency, use of, 277.
*Listroderes costirostris* (weevil), 221.
Live-stock Division—Estimates of the season's lambing, 401.
Live-stock in New Zealand, 334.
Loss of vitality in dairy starters: A cheese factory investigation, 218.
Lucerne cultures for farmers, 165.
Lucerne, inoculation of, 387.
Lymphadenitis, caseous, in sheep, control of, 97.

M.

McCulloch, W. J.—Hill country grasslands of the original bush districts, 160.
McGillivray, R.—Grazing trials in Canterbury to compare certified perennial with ordinary rye-grass, 379.
McIlwaine, J. E.—Milk fever in ewes, 359.
McPherson, G. K.—See Hudson and McPherson.
Mammitis in dairy herds, group control of, 365.

Meat, research work on, 336.
Meat-export works, killings at, 272.
Meteorological Office—Weather records, 68, 132, 201, 266, 332, 402.
Milk fever in ewes, 359.
Moir, G. M.—
Starters for cheesemaking, 81, 143.
Humidity control in cheese-curing rooms, 280.
Muggeridge, J.—
The white butterfly (*Pieris rapae*) and its parasites, 135.
Some recently recorded exotic insect pests, 221.
Muggeridge, J.—See Cunningham and Muggeridge.

N.

Nasal catarrh and cough, horse with, 404.
Natural heat resources in thermal regions, utilization of, 29.
Neill, J. C., and Brien, R. M.—Occurrence of dry rot on rape and chou moellier in the field, 19.
New Zealand Grassland Association: Some preliminary notes on next month's general meeting, 1.
Nicotine series of orchard sprays, 154.
North Cape district soils, 229.
North Island lambing estimate, 336.
Northern Spy apple stocks, rooting habit of, 362.
Note on length of oestrous cycle and duration of pregnancy in Romney ewes, a, 386.
Notes on recently observed exotic weeds, 38, 182, 311.
Noxious weeds orders, 104, 311.
Number and classification of sheep in New Zealand as at 30th April, 270.
Nurseries, horticultural, registration of, 265.

O.

Occurrence of dry rot on rape and chou moellier in the field, 19.
Oestrous cycle in ewes, length of, 305, 386.
Official herd-testing of purebred dairy cows: Summary of the 1932–33 season's work, 278.
Official seed-testing station: Record of testing operations for year 1932, 247.
Orchard, the (monthly notes), 53, 121, 189, 257, 323, 391.
Oil series of orchard sprays, 8, 89.
Orchard sprays in New Zealand, 8, 89, 154.

P.

Pasture establishment on pumice lands, 337.
Pasture investigations, Empire, review of, 310.
Pasture production, investigations in, 238.
Paynter, L.—Citrus culture, 55, 123, 190, 259, 324, 393.
Peas, field, harvesting of, 111.
Phormium hybridization, 361.
*Pieris rapae* (the white butterfly) and its parasites, 135.
Pigs, prolapse of the rectum in, 335.
Pigs slaughtered at meat-export and bacon-curing works, grading of, 66.
Potato moth attacking Cape gooseberry, 28.
Potatoes, seed, certification of, 131, 203.
Poultry Congress, 70.
Poultry feeding, barley for, 112.
Poultry-keeping (monthly notes), 56, 124, 191, 259, 325, 394.
Poultry wheats, 3.
Precautions for manufacture and use of limonite as sheep-lick, 18.
Pregnancy in ewes, duration of, 305, 386.
Primrose willow and water purslane, 311.
Prolapse of the rectum in young pigs, 335.
*Psila rosæ* (carrot-rust fly), 224.
Pulpy kidney disease of lambs, research on, 116.
Pumice lands, pasture establishment on, 337.

R.

Ragwort on grassland, control of, 99, 203.
Rape crop in New Zealand: Types, chemical composition, utilization, and seed certification, 71.
Rape with Japanese millet, 134.
Review of Empire pasture investigations, 310.
Research on pulpy kidney disease of lambs, 116.
Research work on meat, 336.
Romney lamb, effect of shearing on hairiness in the fleece of the, 20.
Romney lamb, halo-hairs in the, 289.
Rooting habit of Northern Spy apple stocks, 362.
Rudall K. M.—Effect of shearing on hairiness in the fleece of the Romney lamb, 20.
Rye-grass, a simple ultra-violet ray apparatus for testing, 236.
Rye-grass, grazing trials in Canterbury to compare certified perennial with ordinary, 379.
Rye-grasses, Italian, Western Wolths, and Wimmera, 366.

THE NEW ZEALAND

# JOURNAL OF AGRICULTURE.

VOLUME 47.

*(July–December, 1933.)*

## INDEX.


A.

Allan, H. H.—Notes on recently observed exotic weeds, 38, 182, 311.
Answers to inquiries, 70, 134, 204, 271, 335, 404.
Apiary, the (monthly notes), 59, 126, 193, 262, 327, 396.
Apple stocks, Northern Spy, rooting habit of, 362.
Acidity in cheese manufacture, further observations on slow development of, 376.
Aston, B. C.—Precautions for manufacture and use of limonite as sheep-lick, 18.
Aston, B. C., and Bruce, J. A.—The chemistry of weed-killers, 4.
Attrition, dental, in New Zealand sheep, 149.

B.

Barley for poultry feeding: Comparative experiment with wheat, 112.
Barley grasses, the, 182.
Barley-seed, hot-water treatment of, 33.
Bluestone drench for stock, 272.
Beetle, small brown, control of, 464.
Brien, R. M.—See Neill and Brien.
Brogan, F. J. A.—See Grimmett and Brogan.
Brown, F. C.—Poultry-keeping, 56, 124, 191, 259, 325, 394.
Brown beetle, small, control of, 400.
Bruce, J. A.—See Aston and Bruce, 4.
Bruce, J. A., and Shorland, F. B.—Utilization of natural heat resources in thermal regions, 29.
Bruce club-root resistant turnip: Experiments and farmers' trials in Otago-Southland, 297.
Bush district grasslands, 160.
Butter, spreadability of, 378.
Buttercups, eliminating from pasture, 204.
Butterfly, the white, and its parasites, 135.

C.

Calder, J. W.—See Hullett and Calder.
Canterbury Plains light lands, establishment and maintenance of permanent pastures on, 105, 176, 242, 313.
Cape gooseberry, potato moth attacking, 28.
Carrot crop for sheep-feeding, 271.
Caseous lymphadenitis in sheep, control of, 97.
Castrating a colt, age for, 271.
Caustic stick for horn suppression on calves, use of, 271.
*Ceroplastes rusci* and *C. rubens* (scales), 226.
Certification of seed potatoes: Crops passed tuber inspection, 131, 203.
Certification, seed, 1932–33, 301.
Certification, seed, charges, 268.
Cheese-curing rooms, humidity control in, 280.
Cheesemaking, starters for, 81, 143.
Cheese manufacture, further observations on slow development of acidity in, 376.
Chemical control of noxious weeds, 378.
Chemistry of weed-killers, the, 4.
Citrus culture (monthly notes), 55, 123, 190, 259, 324, 393.
Club-root resistant turnip, the Bruce, 297.
Club-root resistant turnips, 266.
Cocksfoot, New Zealand, 18.
Colt, age for castrating, 271.
Competitions, farmers' field, 211, 284.
Connell, R. P.—
The farm, 50, 121, 185, 253, 319, 388.
Farmers' field competitions: Summary of Dominion results, season 1932–33, 284.
Consolidated dairy regulations: Additional provisions summarized, 67.
Control of caseous lymphadenitis in sheep: Progress of the flock trials, 97.
Control of ragwort on grassland: The spraying and dry-dusting methods of using sodium chlorate, 99, 203.

Control of small brown beetle, 404.
Counts, spinning, of wool, 204.
Cows, drenching at calving time, 204.
Cunningham, G. H.—Orchard sprays in New Zealand, 154.
Cunningham, G. H., and Muggeridge, J.—Orchard sprays in New Zealand, 8, 89.
Cutting back fruit trees for grafting, 115.

D.

Dairy Division—
Consolidated dairy regulations, 67.
Grading of export butter and cheese: Leading dairy-factory averages for year 1932–33, 199.
Dairy industry regulations, 134.
Dairy regulations, consolidated, 67.
Dairy-herd testing in New Zealand: Review of the 1932–33 season, 205.
Dairy starters, 81, 143.
Dairy starters, loss of vitality in, 218.
Dayus, C. V., and Hopkirk, C. S. M.—Control of caseous lymphadenitis in sheep, 97.
Deem, J. W.—Control of ragwort on grassland, 99.
Dental attrition in New Zealand sheep, some aspects of, 149.
Dominion Meteorological Office—Weather records, 68, 132, 201, 266, 332, 402.
Drenching cows at calving time, 204.
Dry, F. W.—
Halo-hairs in the Romney lamb, 289.
A note on length of oestrous cycle and duration of pregnancy in Romney ewes, 386.
Dry rot, occurrence of, on rape and chou moellier in the field, 19.

E.

Earp, E. A.—The apiary, 59, 126, 193, 262, 327, 396.
Effect of shearing on hairiness in the fleece of the Romney lamb, 20.
Ensilage and hay competitions in North Taranaki, 211.
Ensilage without weighting, 37.
Establishment and management of permanent pastures on the light lands of the Canterbury Plains, 105, 176, 242, 313.
Estimates of the season's lambing, 401.
*Eucolaspis brunnea*, control of, 404.
Ewes, length of oestrous cycle and duration of pregnancy in, 305, 386.
Ewes, milk fever in, 359.
Exotic insect pests, some recently recorded, 221.
Exotic weeds, notes on recently observed, 38, 182, 311.
Experiments with various grits for fowls, 40.
Exportation of stud stock, 335.

F.

Farm, the (monthly notes), 50, 117, 185, 253, 319, 388.
Farmers' field competitions: Summary of Dominion results, season 1932–33, 284.
Farmers' field competitions: The North Taranaki ensilage and hay classes, season 1932–33, 211.
Fertilizers, top-dressing, in North Auckland, 204.
Fertilizer importations (quarterly), 131, 336.
Field competitions, farmers', 211, 284.
Field peas, harvesting of, 111.
Fields Division—
Certification of seed potatoes: Crops passed tuber inspection, 131, 203.
Wheat manuring experiments in the South Island, season 1932–33.
Seed certification charges: Amended scale adopted, 268.
Wheat variety trials in the South Island, season 1932–33.
Flay, A. H.—Establishment and management of permanent pastures on the light lands of the Canterbury Plains, 105, 176, 242, 313.
Foy, N. R.—The official seed-testing station: Record of operations for year 1932, 247.
Fowl manure for rye-grass seed production, 144.
Fruit trees, cutting back, for grafting, 115.
Further observations on slow development of acidity in cheese manufacture, 376.

G.

Gill, D. A.—Length of oestrous cycle and duration of pregnancy in ewes, 305.
Grading of pigs slaughtered at meat-export and bacon-curing works, 66.
Grafting, cutting back fruit trees for, 115.
Grassland Association, the New Zealand, 1.
Grass grub in strawberry beds, 175.
Grasses and clovers, strain investigation of, 366.
Grasslands, hill country, of the original bush districts, 160.
Grazing trials in Canterbury to compare certified perennial with ordinary rye-grass, 379.
Grimmett, R. E. R., and Brogan, F. J. A.—Some soils of the North Cape district, 229.
Group control of mammitis in dairy herds, 365.
Grits for fowls, experiments with various, 40.

S.

Saxby, Stephen H.—See Levy and Saxby.
Seasonal notes, 50, 117, 185, 253, 319, 388.
Seed barley, hot-water treatment of, 33.
Seed certification charges: Amended scale adopted, 268.
Seed certification: Summary of operations for season 1932–33, 301.
Seed-testing station operations for year 1932, 247.
Sheep, number and classification of, in New Zealand, as at 30th April, 270.
Shearing, effect of, on hairiness in the fleece of the Romney lamb, 20.
Shorland, F. B.—See Bruce and Shorland.
Simple ultra-violet ray apparatus for testing rye-grass, 236.
Singleton, W. M.—
  Dairy-herd testing in New Zealand: Review of the 1932–33 season, 205.
  Official herd-testing of purebred dairy cows: Summary of the 1932–33 season's work, 278.
Sisymbrium genus of weeds, 38.
Slaughterings of stock, 1932–33, 134.
Smallfield, P. W.—Pasture establishment on pumice lands, 337.
Smith, J. M.—
  Farmers' field competitions: The North Taranaki ensilage and hay classes, season 1932–33, 211.
  Stratford Demonstration Farm: Notes on the 1932–33 season's operations, 251.
  Waimate West Demonstration Farm: Notes on the 1932–33 season's operations, 317.
Sodium chlorate, methods of using, on ragwort, 99.
Soils of the North Cape district, some, 229.
Some aspects of dental attrition in New Zealand sheep: Data from a Canterbury investigation, 149.
Some recently recorded exotic insect pests, 221.
Some soils of the North Cape district, 229.
Spinning counts of wool, 204.
Sprays, orchard, in New Zealand, 8, 89, 154.
Spreadability of butter, 378.
Starters, dairy, loss of vitality in, 218.
Starters for cheesemaking: Methods of preparation and maintenance, 81, 143.
Stock, live, in New Zealand, 334.
Stocks, Northern Spy apple, rooting habits of, 362.
Strain development in herbage plants, 273.
Strain investigation of grasses and clovers: Italian, Western Wolths, and Wimmera rye-grasses, 366.
Stratford Demonstration Farm: Notes on the 1932–33 season's operations, 25.
Stock slaughtered, 1932–33, 134.
Stud stock, exportation of, 335.
Subterranean clover in Hawke's Bay, 217.

T.

Tennent, R. B.—The Bruce club-root resistant turnip, 297.
Top-dressing fertilizers in North Auckland, 204.
Top-dressing trial on poor pasture on light land in Canterbury, 313.
Tree-planting on the farm, 42.
Turnip, the Bruce club-root resistant, 297.

U.

Ultra-violet ray apparatus for testing rye-grass, a simple, 236.
Utilization of natural heat resources in thermal regions, 29.

V.

Vitamin E, 88.

W.

Waimate West Demonstration Farm: Notes on the 1932–33 season's operations, 317.
Wards, L.—See Whitehead and Wards.
Water purslane and primrose willow, 311.
Weather records (monthly), 68, 132, 201, 266, 332, 402.
Weed-killers, the chemistry of, 4.
Weeds, exotic, notes on recently observed, 38, 182, 311.
Weeds, noxious, chemical control of, 378.
Weeds, noxious, orders, 104, 311.
Western Wolths rye-grass, 366.
Wheat introductions, 28.
Wheat manuring experiments in the South Island, season 1932–33, 166.
Wheat research, co-operation in, 70.
Wheat variety trials in the South Island, season 1932–33, 307.
Wheats, poultry, 3.
Whelan, J. W.—The orchard, 53, 122, 189, 257, 323, 391.
White butterfly (*pieris rapae*), the, and its parasites, 135.
Whitehead, H. R., and Wards, L.—Loss of vitality in dairy starters, 218.
Whitehead, H. R.—Further observations on slow development of acidity in cheese manufacture, 376.
Williams, C. H.—Tree-planting on the farm, 42.
Willow trees, old, killing of, 272.
Wimmera rye-grass, 366.
Wire-worms, control of, 70.
Woodcock, J. W.—See Hudson and Woodcock.
Woodhead, C. E.—Rooting habit of Northern Spy apple stocks, 362.
Wood-lice, destruction of, 272.
Wool, the spinning counts of, 204.
Wool packs, improvement in, 269.